Form – IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.	Particulars		
No.			
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier	:	
	or : operator of facility)		
	(ii) Name of HCF or CBMWTF	:	
	(iii) Address for Correspondence	:	
	(iv) Address of Facility	:	
	(v)Tel. No, Fax. No	:	
	(vi) E-mail ID	:	
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
		:	(State Government or Private or Semi Govt.
	(ix) Ownership of HCF or CBMWTF		or any other)
	(x). Status of Authorization under the Bio-	:	Authorisation No.:
	Medical		
	Waste (Management and Handling) Rules		Valid upto:
	(xi). Status of Consents under Water Act and	:	Valid upto:
	Air		
	Act		
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or		
	Veterinary Hospital or any other)		
3	(iii) License number and its date of expiry Details of CBMWTF		
3		:	
	(i) Number of health care facilities covered by CBMWTF	•	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal		Kg / day
	capacity of CBMWTF;	•	
	(iv) Quantity of bio medical waste		Kg / day
	treated or disposed by CBMWTF	•	
4	Quantity of waste generated or disposed in	:	Yellow Category:
	Kg per Annum (on monthly average basis)	•	Red Category:
	5 p = 1 (2.1 4		White:
			Blue Category:
			General Solid Waste:
5	Details of the Storage, Treatment, Transportat	ion. Pr	
	(i) Details of the on-site storage	: ,	Size:
	, , ,	L	

	facility			Capacity:				
				Provision of on-site storage: (Cold storage or				
				any other prov			· ·	
	(ii)	Disposal facilities		Type of treatment equipment	No of Units	Capacit Kg/day		
				Incinerators				
				Plasma Pyrolysis				
				Autoclaves				
				Microwave				
				Hydroclave				
				Shredder				
				Needle tip				
				cutter or destroyer				
				Sharps				
				Encapsulation				
				or concrete				
				pit				
				Deep burial				
				pits Chemical				
				disinfection:				
				Any other				
				treatment				
				equipment:				
	(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plast	tic, glass,	etc.)	
	(iv)	No. of Vehicles used for collection and transportation of biomedical waste	:					
	(v)	Details of incineration ash and ETP sludge generated and			Quant Gener	-	Where disposed	
		disposed during the treatment of		Incineration				
		wastes in Kg per annum		Ash				
				ETP Sludge				
	(vi)	Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of						
	(vii)	List of member HCF not handed over bio-medical waste.						
6	managen	ave bio-medical waste nent committee? If yes, attach of the meetings held during the period						

7	Details trainings conducted on BMW					
	(i) Number of trainings conducted					
	on BMW Management					
	(ii) Number of personnel trained					
	(iii) Number of personnel trained at					
	the time of induction					
	(iv) Number of personnel not					
	undergone any training so far					
	(v) Whether standard manual for					
	training is available?					
8	Details of the accident occurred during the					
	year					
	(i) Number of Accidents occurred					
	(ii) Number of persons affected					
	(iii) Remedial Action taken (Please					
	attach details if any)					
	(iv) Any Fatality occurred, details					
9	Are you meeting the standards of air					
	Pollution from the incinerator? How					
	many times in last year could not met					
	the standards?					
	Details of Continuous online emission					
	monitoring systems installed					
10	Liquid waste generated and treatment					
	methods in place. How many times you					
	have not met the standards in a year?					
11	Is the disinfection method or					
	sterilization meeting the log 4					
	standards? How many times you have not					
	met the standards in a year?					
12	Any other relevant information	(Air Pollution Control Devices attached with				
		the Incinerator)				
Certified that the above report is for the period from						
		Name and Signature of the Head of the Institution				
Date:						
Place:						